

## Hazardous Substance Storage Cupboards



**i Information**  
**THESE CABINETS CAN HELP YOU COMPLY WITH COSHH REGULATIONS, DEPENDING ON YOUR RISK ASSESSMENT**

- » Manufactured from 0.7mm steel body & 0.9mm steel doors
- » These units enable separate storage of hazardous substances
- » "No Snag" handles with 2 point locking mechanism
- » Adjustable spill retaining shelves for superior spill management
- » Integral liquid tight sump encourages the correct handling of spills (except wall mounted cupboards)
- » Wall cupboards are pre-drilled for mounting (fixings not included)
- » Floor chests have an integrated welded sump, angled lid to discourage article placement & a hasp & staple lock - padlock not supplied
- » Stands raise cupboards by 543mm with an adjustable foot for uneven surfaces
- » Reaction to Fire Classification EN 13501-1



EFC18Z



ESS02Z

Overall Size H x W x D mm	No of Shelves	No of Doors	Model	Price
Floor Cupboards				
700 x 350 x 300	1	Single	EFC01Z	<b>£152.85</b>
700 x 900 x 460	1	Double	EFC03Z	<b>£210.70</b>
900 x 460 x 460	1	Single	EFC02Z	<b>£179.85</b>
900 x 900 x 460	1	Double	EFC05Z	<b>£230.60</b>
1200 x 900 x 460	2	Double	EFC06Z	<b>£290.85</b>
1800 x 900 x 460	3	Double	EFC08Z	<b>£342.15</b>
1800 x 1200 x 460	3	Double	EFC16Z	<b>£403.10</b>
Mobile Cupboards				
840 x 900 x 460	1	Double	EMC01Z	<b>£335.55</b>
1040 x 900 x 460	1	Double	EMC02Z	<b>£365.55</b>
Wall Cupboards				
570 x 850 x 255	1	Double	EW01Z	<b>£199.80</b>
Floor Chests				
510 x 610 x 340	-	-	EFC18Z	<b>£248.75</b>
610 x 1170 x 460	-	-	EFC19Z	<b>£388.65</b>

To Fit W x D mm	Model	Price
Extra Shelves		
350 x 300	EES01Z	<b>£21.75</b>
460 x 460	EES02Z	<b>£27.20</b>
900 x 460	EES08Z	<b>£35.35</b>
1200 x 460	EES16Z	<b>£40.80</b>
Stands (543mm high)		
350 x 300	ESS01Z	<b>£78.00</b>
460 x 460	ESS02Z	<b>£81.55</b>
900 x 460	ESS08Z	<b>£91.05</b>

**Heavy Duty Hazardous Substance Storage Cupboards**

- » Manufactured from 0.9mm sheet steel with formed & welded seams
- » Supplied with removable galvanised sump tray & shelves
- » Doors are fitted with vertical reinforcement panels to prevent distortion
- » Produced with return flange around doors & joints to prevent the passage of flame
- » Fitted with security locks & two keys
- » Shelves can be used as flush shelves or as a tray & are adjustable to 75mm centres
- » Locks & handles are all metal to eliminate melting under fire attack
- » Powder coated yellow



HSC05Z



HSC08Z



HSC03Z



HSC02Z

**Information**

**THESE CABINETS CAN HELP YOU COMPLY WITH COSHH REGULATIONS, DEPENDING ON YOUR RISK ASSESSMENT**

Overall Size H x W x D mm	No of Shelves	Doors	Weight kg	Model	Price
915 x 458 x 483	1	Single	27	HSC02Z	<b>£356.60</b>
610 x 610 x 306	1	Double	18	HSC03Z	<b>£369.25</b>
915 x 915 x 483	2	Double	50	HSC05Z	<b>£493.00</b>
1830 x 915 x 483	3	Double	83	HSC08Z	<b>£828.40</b>

**Heavy Duty Hazardous Cabinets**

**GENERAL SPECIFICATION FOR THE CABINETS SHOWN ON THESE TWO PAGES**



**FROM ONLY  
£419.45**

- » Designed to comply with Flammable Liquid Storage Regulations (1972) as appropriate & Health & Safety Guidance notes HSG51 & CS19
- » Comply with Factory Inspectorate Certificate of Approval No. 1 Parts 3 & 4
- » Manufactured from 1.2mm sheet steel for extra strength & improved protection from fire penetration
- » A robustly constructed range of cabinets providing safe storage for flammable liquids
- » Base of each unit is fitted with a large capacity removable sump to contain any spillage
- » All formed welded seams

- » Doors are fitted with vertical reinforcement panels to prevent distortion
- » Produced with return flange around doors & joints to prevent the passage of flame
- » Fitted with all metal security locks & two keys
- » Adjustable galvanised shelves to 75mm centres. Shelves are also reversible which allows them to be used as a tray
- » Floor stands are available for the five smallest sizes, raising the units by 450 mm

**HEAVY DUTY CABINETS  
Made from 1.2mm sheet steel**

FSC Range

**i Information**  
**THESE CABINETS CAN HELP YOU COMPLY WITH COSHH REGULATIONS, DEPENDING ON YOUR RISK ASSESSMENT**



**Highly Flammable Storage Cabinets - FSC Range**

- » Powder coated Yellow
- » Supplied with appropriate labels to BS5378 standard
- » For pricing details please see opposite page

**General Storage Cabinets - GSC Range**

- » Powder coated grey
- » Supplied complete with general purpose labelling
- » For pricing details please see opposite page



GSC Range



PSC Range



ASC Range

## Information

**HEAVY DUTY CABINETS**  
Made from 1.2mm sheet steel

### Pesticide/Agrochemical Storage Cabinets - PSC Range

- » Powder coated red
- » For your safety the doors of the cabinets are fitted with louvre vents
- » Supplied with the currently approved labels to BS5378 & EEC directive 92/58
- » All other details are as per general specification shown on the previous page

### Acid Storage Cabinets - ASC Range

- » Powder coated white which is impervious to most acids
- » Complete with acid warning label conforming to BS5499/1 & EEC directive 92/58
- » All other details are as per general specification shown on the previous page

## SAFETY NOTE

Before storage of herbicides & petroleum based products takes place the advice of the following should be sought for specific guidance.

- » Health & Safety Inspector
- » Trading Standards Officers
- » Environmental Health Officers
- » Fire Officers

Overall Size H x W x D mm	No of Shelves	Shelf Depth (as a tray)	Sump Capacity	Doors	Weight kg	Highly Flammable		General		Pesticide/Agrochemical		Acid	
						Model	Price	Model	Price	Model	Price	Model	Price
*765 x 458 x 483	1	38mm	14 litres	1	25	FSC01Z	£425.00	GSC01Z	£419.45	PSC01Z	£452.60	ASC01Z	£452.60
*915 x 458 x 483	1	38mm	14 litres	1	35	FSC02Z	£475.60	GSC02Z	£469.90	PSC02Z	£503.10	ASC02Z	£503.10
*610 x 610 x 306	1	24mm	12 litres	2	23	FSC03Z	£453.95	GSC03Z	£448.35	PSC03Z	£481.35	ASC03Z	£481.35
*710 x 915 x 483	1	34mm	33 litres	2	45	FSC04Z	£591.35	GSC04Z	£585.85	PSC04Z	£618.70	ASC04Z	£618.70
*915 x 915 x 483	2	34mm	33 litres	2	55	FSC05Z	£683.60	GSC05Z	£678.15	PSC05Z	£711.10	ASC05Z	£711.10
1220 x 915 x 483	2	34mm	33 litres	2	65	FSC06Z	£760.95	GSC06Z	£755.60	PSC06Z	£788.45	ASC06Z	£788.45
1500 x 915 x 483	3	34mm	33 litres	2	80	FSC07Z	£932.25	GSC07Z	£926.70	PSC07Z	£959.65	ASC07Z	£959.65
1830 x 915 x 483	3	34mm	33 litres	2	100	FSC08Z	£1041.40	GSC08Z	£1035.85	PSC08Z	£1068.70	ASC08Z	£1068.70
*Floor stand (available for the 5 smallest sizes)						FSC09Z	£194.35	GSC09Z	£194.35	PSC09Z	£216.85	ASC09Z	£216.85

## CoSHH Cupboards



It is vital that employers and employees comply with the control of hazardous substances in all working environments. This range of cupboards & cabinets enables the separate storage & transportation of hazardous substances as demanded by the CoSHH regulations.

- » Manufactured from 0.7mm steel body & 0.9mm steel doors
  - » Reaction to Fire Classification EN 13501-1
  - » "No snag" handles with 2-point locking
  - » Adjustable spill-retaining galvanized shelves for superior spill management\*
  - » Integral liquid-tight sump encourages the correct handling of spills through the use of absorbents\*
  - » Wall cupboards are pre-drilled for mounting (fixings not included).
  - » Floor chests have a welded integrated sump, angled lid to discourage article placement & a hasp & staple lock – padlock not supplied
  - » Stands raise cupboards by 543mm with an adjustable foot for uneven surfaces
- \*Except wall mounted cupboards

Overall Size H x W x D mm	No of Shelves	No of Doors	Model	Price
Floor Cupboards				
700 x 350 x 300	1	Single	CFC01Z	<b>£152.85</b>
700 x 900 x 460	1	Double	CFC03Z	<b>£210.70</b>
900 x 460 x 460	1	Single	CFC02Z	<b>£179.85</b>
900 x 900 x 460	1	Double	CFC05Z	<b>£230.60</b>
1200 x 900 x 460	2	Double	CFC06Z	<b>£290.85</b>
1800 x 900 x 460	3	Double	CFC08Z	<b>£342.15</b>
1800 x 1200 x 460	3	Double	CFC16Z	<b>£403.10</b>
Mobile Cupboards				
840 x 900 x 460	1	Double	CMC01Z	<b>£335.55</b>
1040 x 900 x 460	1	Double	CMC02Z	<b>£365.55</b>
Wall Cupboards				
570 x 850 x 255	1	Double	CWC01Z	<b>£199.80</b>
Floor Chests				
510 x 610 x 340	-	-	CFC18Z	<b>£248.75</b>
610 x 1170 x 460	-	-	CFC19Z	<b>£388.65</b>

To Fit W x D mm	Model	Price
Stands (543mm high)		
350 x 300	CSS01Z	<b>£78.00</b>
460 x 460	CSS02Z	<b>£81.55</b>
900 x 460	CSS08Z	<b>£91.05</b>

**Hazardous Substance & CoSHH Security Cupboards**

**FROM ONLY  
£545.35**



It is vital that employers & employees comply with the control of hazardous substances in all working environments. This range of cupboards and cabinets enables the separate storage of hazardous substances as demanded by the CoSHH regulations. They are constructed from welded 1.5mm steel for strength combined with a superior anti-pick locking mechanism, to ensure security.

- » Welded all steel structure for extra strength
- » Seven lever safe lock for high security
- » New regulation labels enclosed to be fitted by customer to suit regulations
- » Full length heavy duty hinges with concealed fixings to prevent forced entry
- » Adjustable spill-retaining galvanised shelves for superior spill management
- » Powder coated with Germ Guard Active Technology anti-bacterial paint
- » Integral liquid-tight sump encourages the correct handling of spills through the use of absorbents
- » Reaction to Fire Classification EN 13501-1



**Hazardous Substance Security Cupboards (Yellow)**

Overall Size H x W x D mm	No of Shelves	Model	Price
900 x 460 x 450	1	HSSC090445	<b>£545.35</b>
1200 x 900 x 450	2	HSSC120945	<b>£759.65</b>
1200 x 1200 x 450	2	HSSC121245	<b>£1159.30</b>
1800 x 900 x 450	3	HSSC180945	<b>£1167.55</b>
1800 x 1200 x 450	3	HSSC181245	<b>£1427.15</b>

Extra Shelves		
To Fit W x D mm	Model	Price
460 x 450	HSSC0445ES	<b>£31.90</b>
900 x 450	HSSC0945ES	<b>£49.15</b>
1200 x 450	HSSC1245ES	<b>£69.05</b>

**CoSHH Security Cupboards (Grey)**

Overall Size H x W x D mm	No of Shelves	Model	Price
900 x 460 x 450	1	CSSC090445	<b>£545.35</b>
1200 x 900 x 450	2	CSSC120945	<b>£759.65</b>
1200 x 1200 x 450	2	CSSC121245	<b>£1159.30</b>
1800 x 900 x 450	3	CSSC180945	<b>£1167.55</b>
1800 x 1200 x 450	3	CSSC181245	<b>£1427.15</b>

Extra Shelves		
To Fit W x D mm	Model	Price
460 x 450	CSSC0445ES	<b>£31.90</b>
900 x 450	CSSC0945ES	<b>£49.15</b>
1200 x 450	CSSC1245ES	<b>£69.05</b>

## Safety Cabinets for Flammable Substances



- » Exceed the requirements of HSG51, 2015 (HSE Storage of Flammable Liquids in Containers, 3rd Edition)
- » Meets the requirements of HSG140, 2015 (HSE Safe Use & Handling of Flammable Liquids, 2nd Edition)
- » 10 minute fire tested at up to 1,300°C (independent testing)
- » Internal temperature during fire test kept below the auto ignition temperature of vast majority of flammable liquids
- » Can help justify storage of more volume of flammable liquids than HSG51 would normally allow
- » Fully load tested
- » Self-closing models have fusible links that close the doors at 74°C
- » Dual wall construction with insulating air space
- » Fully welded construction with 1mm steel used throughout
- » 3 point heavy duty stainless bullet self-latching doors – positive door closure without manual rotation to ensure latching
- » Leak proof integrated sump & 2 air vents with flame arresters built-in



- » Concealed self-close mechanism – release doors on self-closing models from any open position & the door will shut & latch
- » Adjustable shelf positions on 76mm centres, each with 156kg UDL rating
- » Continuous piano hinges on doors
- » Shelves direct leaks to back & bottom of cabinet
- » Adjustable levelling feet
- » Built in grounding connector

Description	Overall Size H x W x D mm	No of Doors	No of Shelves	Sump Capacity	Manual Close Doors		Self Close Doors	
					Model	Price	Model	Price
Mini Cabinet	580 x 560 x 230	1	1	2 L	SCF001M	<b>£487.10</b>	-	-
Countertop Cabinet	580 x 560 x 460			6.5 L	SCF002M	<b>£537.10</b>	SCF011S	<b>£644.40</b>
Compact Cabinet	889 x 591 x 457			10 L	SCF003M	<b>£732.40</b>	SCF012S	<b>£792.55</b>
	1118 x 591 x 457			10 L	SCF004M	<b>£832.40</b>	SCF013S	<b>£901.70</b>
Slimline Cabinet	1651 x 591 x 457	1	3	10 L	SCF005M	<b>£1051.60</b>	SCF014S	<b>£1103.25</b>
Undercounter Cabinet	889 x 889 x 459			20 L	SCF006M	<b>£960.00</b>	SCF015S	<b>£1114.10</b>
Standard Cabinet	1118 x 1092 x 457	2	1	20 L	SCF007M	<b>£1154.45</b>	SCF016S	<b>£1125.20</b>
	1651 x 1092 x 457			20 L	SCF008M	<b>£1425.15</b>	SCF017S	<b>£1350.10</b>
	1651 x 864 x 864	2	2	31.5 L	SCF009M	<b>£1481.15</b>	SCF018S	<b>£1602.10</b>
	1651 x 1092 x 864			41 L	SCF010M	<b>£1845.20</b>	SCF019S	<b>£2087.80</b>

## Storage Vaults

- » Designed to comply with the Flammable Liquid Storage Regulations (1972) as appropriate & the Factory Inspection Guide HSG51
- » Adjustable vent meets the requirements of both flammable storage (vents closed) & agrochemicals (vents open)
- » All welded units conforming to the A.P.E.A. construction requirements
- » Provide a half hour protection from collapse & the passage of flame
- » Multi-lockable for high security & fitted with a lift up action lid assisted by gas struts
- » For extra protection & fork lifting the units have skids on the base
- » Middle shelves pivot on models SSV01Z & SSV02Z to enable larger items to be stored on the base level
- » Model SSV03Z has a central partition & four shelves - the two middle shelves fold away & the two top shelves are made in 3 sections - the back section is fixed in position & the front two sections removable
- » All models have a liquid-tight base to contain spillage

**N.B. A Fork Lift will be needed to unload these vaults**



SSV02Z



SSV01Z

### SAFETY NOTE

Before storage of herbicides & petroleum based products takes place the advice of the following should be sought for specific guidance.

- » Health & Safety Inspector
- » Trading Standards Officers
- » Environmental Health Officers
- » Fire Officers



SSV03Z

Overall Size H x W x D mm	Liquid Tight Sealed Base Unit Capacity	Shelves mm	Weight kg	Model	Price
1270 x 700 x 850	120 Litre	2 x Shelves: Top: 690 x 400 fixed Middle: 690 x 400 pivots	180	SSV01Z	<b>£1693.30</b>
1270 x 1370 x 850	250 Litre	2 x Shelves: Top: 1360 x 400 fixed Middle: 1360 x 400 pivots	260	SSV02Z	<b>£2385.15</b>
1270 x 2500 x 1080	550 Litre	4 x Shelves: 1220 x 500	460	SSV03Z	<b>£4250.60</b>



## Petroleum Storage Chests

- » Suitable for 'CLASS A' Storage (1986) & labelled in accordance with the Petroleum Consolidation Act 1928, conforming to BS5378 & E.C. Directive 92/58 EEC
- » Fully welded units designed & constructed to comply with A.P.E.A requirements
- » Fitted with a hasp & staple to enable padlocking
- » Produced with a sloping roof to aid protection against the weather
- » Each unit is fitted with a removable sump



SSB10Z



Overall Size H front/rear x W x D mm	Weight kg	Capacity (Cubic Metres)	Model	Price
655/810 x 610 x 630	46	0.25	SSB09Z	<b>£731.80</b>
655/810 x 965 x 630	64	0.34	SSB10Z	<b>£909.75</b>
655/810 x 1270 x 630	85	0.40	SSB11Z	<b>£1076.95</b>

## Storage Cabinet

- » Lockable handle on double doors
- » Clear space between shelves: 550 top & 540 bottom shelf
- » Two removable storage shelves of 25x25mm mesh (1115W x 520Dmm)
- » Designed to comply with the Flammable Liquid Storage Regs. (1972) as appropriate & the Factory Inspection Guide HSG51
- » The adjustable vent meets the requirements of both flammable storage (vent closed) & agrochemicals (vent open)
- » All welded unit conforming to the A.P.E.A. construction requirements
- » The unit provides a half hour protection from collapse & the passage of flame

**N.B - A Fork Lift will be needed to unload this unit**

**SSC01Z**

**£1300.85**



SSC01Z

Overall Size H x W x D mm	Base Unit Capacity	Weight kg	Model	Price
1535 x 1125 x 560	85 Litre	120	SSC01Z	<b>£1300.85</b>


## Knock Down Gas Cylinder Cages

- » These units are supplied knock down for easy access into your premises
- » Robust 25 x 25mm mesh panels easily bolt together to create a strong & rigid frame. These units also incorporate a galvanised roof
- » Complete with a locking facility (padlock not supplied)
- » Easy to expand with additional panels



### Information

**FULLY GALVANISED VERSION AVAILABLE - CALL FOR DETAILS**



GLC55Z  
Supplied Knock Down



GLC55Z

**N.B. A Fork Lift will be needed to unload these units**

Includes	Overall Size H x W x D mm	Weight kg	Model	Price
Knock Down Gas Cylinder Cages				
1 x Back Panel, 2 x Side Panels, 1 x Door Panel & 1 x Roof Panel	2015 x 977 x 1042	81	GLC50Z	<b>£789.20</b>
2 x Back Panels, 2 x Side Panels, 2 x Door Panels & 1 x Roof Panel	2015 x 1954 x 1042	125	GLC60Z	<b>£1193.65</b>
2 x Back Panels, 4 x Side Panels, 2 x Door Panels & 1 x Roof Panel	2015 x 1954 x 2019	177	GLC70Z	<b>£1639.80</b>
Knock Down Gas Cylinder Cages with Floor Grid Panel				
1 x Back Panel, 2 x Side Panels, 1 x Door Panel, 1 x Roof Panel & 1 x Floor Grid Panel	2015 x 977 x 1042	99	GLC55Z	<b>£915.40</b>
2 x Back Panels, 2 x Side Panels, 2 x Door Panels, 1 x Roof Panel & 1 x Floor Grid Panel	2015 x 1954 x 1042	161	GLC65Z	<b>£1446.05</b>
2 x Back Panels, 4 x Side Panels, 2 x Door Panels, 1 x Roof Panel & 1 x Floor Grid Panel	2015 x 1954 x 2019	249	GLC75Z	<b>£2144.65</b>

## Lock Up Security Cage

- » Manufactured from 50 x 50mm mesh panels & galvanised roof (supplied fully constructed)
- » Complete with a hasp & staple locking facility (padlock not supplied)
- » Door fitted to right hand side



**FROM ONLY  
£1459.65**



**N.B. A Fork Lift will be needed to unload these units**

Overall Size H x W x D mm	Weight kg	Model	Price
1910 x 1580 x 1175	100	GLC12Z	<b>£1459.65</b>
1910 x 2700 x 1175	150	GLC15Z	<b>£2090.25</b>
1910 x 3160 x 1175	160	GLC18Z	<b>£2162.00</b>



## Galvanised Secure Stores



**FROM ONLY**  
**£3610.30**

Manufactured in accordance with PPG 26 regulations as per the requirement of the Environment Agency

**i Information**  
**HAZARDOUS STORES TO MEET ALL YOUR STORAGE NEEDS**

- » Side & roof panels are manufactured from 0.6mm cold rolled corrugated galvanised steel & for additional strength the unit has a structural frame which is fitted at each end & at the centre of the unit
- » The sump is manufactured from 2mm structural grade galvanised steel & is fitted with base plinths to keep the underside of the units out of contact with the ground
- » The double doors, fitted with 3 upper & 3 lower vents in each door, are located on one of the short sides of the unit & are secured with a Kale mortis lock with cylinder (152R)
- » Complete with two sets of shelves (60kg shelf U.D.L.) on each of the long sides of the unit
- » Fork lifting pockets are underneath the units



This unit will be delivered by an articulated vehicle, therefore please ensure that a vehicle of this size can access your premises before ordering and advise us accordingly. You will require an appropriate size-capacity fork lift truck or Hiab unit to offload this item from the delivery vehicle. **IMPORTANT:** our standard delivery doesn't include any offloading due to insurance restrictions - if you require this service then please call for details. The unit must be positioned on a solid level surface, ideally concrete of circa 150mm in depth and 100mm bigger overall than the unit. The purpose of this is to ensure the unit does not settle unevenly when placed in position.

External Size L x W x H mm	Internal Size L x W x H mm	Sump Capacity Litres	Model	Price
2184 x 2168 x 2198	2018 x 2080 x 1935	415	EMDL415	<b>£3610.30</b>
2184 x 2928 x 2198	2018 x 2840 x 1935	560	EMDL560	<b>£4121.65</b>
2184 x 3778 x 2198	2018 x 3690 x 1935	727	EMDL727	<b>£4896.75</b>

## Hazardous Material Stores



ECS2196

Manufactured in accordance with PPG 26 regulations as per the requirement of the Environment Agency

### **i** Information

**HAZARDOUS STORES TO MEET ALL YOUR STORAGE NEEDS**



ECS0650



ECS1098



ECS0450



ECS1125

- » Base is manufactured from 3mm mild steel
- » Corner posts, main rails & cross members are rolled hollow section
- » The roof is pressed with suitable bracing & fully welded around the perimeter, while the back, side & door panels are pressed from 2mm mild steel sheet & corrugated where required
- » Fitted with a single cam door gear which is secured with a padlock (not supplied)
- » Fully seam welded sump fitted with a removable galvanised grid mesh deck
- » High & low louvre vents complete with flame arrestor mesh as standard
- » Shot blasted before being painted (RAL 6029) for greater durability

This unit will be delivered by an articulated vehicle, therefore please ensure that a vehicle of this size can access your premises before ordering and advise us accordingly. You will require an appropriate size-capacity fork lift truck or Hiab unit to offload this item from the delivery vehicle. **IMPORTANT:** our standard delivery doesn't include any offloading due to insurance restrictions - if you require this service then please call for details. The unit must be positioned on a solid level surface, ideally concrete of circa 150mm in depth and 100mm bigger overall than the unit. The purpose of this is to ensure the unit does not settle unevenly when placed in position.

Model	1	2	3	4	5
External Size: H x W x L mm	2658 x 2160 x 2160	2658 x 2440 x 3000	2350 x 800 x 2500	2445 x 1500 x 2930	2625 x 2440 x 5920
Sump Capacity: Litres	650	1098	450	1125	2196
Shelves:	Shelving Units each side of the door	Shelving Units each side of the door	2 Middle Shelves	2 Middle Shelves	3 sets of Double Shelves
Type of Door:	775mm Wing Door	1250mm Wing Door	Sliding Doors	Sliding Doors	1250mm Wing Door
Model:	ECS0650	ECS1098	ECS0450	ECS1125	ECS2196
Price	<b>£7490.15</b>	<b>£8407.35</b>	<b>£2912.85</b>	<b>£5835.90</b>	<b>£14,387.10</b>

## Heavy Duty Metal Stackable Pallets



- » Available with half drop gate
- » Stackable up to 5 high
- » Load capacity: 1000kg
- » Hard, durable, powder coated finish
- » We recommend that Heavy Duty pallets are used when stacking at height as impact forces in excess of rated loads can be experienced



Overall Size: Effective H x W x D mm 609 x 915 x 609 (Ground Clearance - 152mm)			Overall Size: Effective H x W x D mm 609 x 915 x 915 (Ground Clearance - 152mm)			Overall Size: Effective H x W x D mm 609 x 1220 x 915 (Ground Clearance - 152mm)		
Weight kg	Model	Price	Weight kg	Model	Price	Weight kg	Model	Price
Post Pallet (Manufactured from rolled Steel angle with a sheet Steel base)								
27	PP02Z	<b>£206.75</b>	38	PP03Z	<b>£252.35</b>	47	PP04Z	<b>£288.55</b>
Box Pallet (Manufactured from rolled Steel angle with a sheet Steel base & sides)								
52	BP02Z	<b>£407.80</b>	60	BP03Z	<b>£438.20</b>	73	BP04Z	<b>£472.30</b>
Box Pallet with 1/2 Drop Side (Manufactured from rolled Steel angle with a sheet Steel base & sides)								
52	BP62ZH	<b>£449.85</b>	60	BP63ZH	<b>£479.80</b>	73	BP64ZH	<b>£519.90</b>
Mesh Pallet (Manufactured from rolled Steel angle with 50 x 50 x 10 gauge Steel base & mesh sides)								
36	MP02Z	<b>£320.65</b>	46	MP03Z	<b>£389.05</b>	53	MP04Z	<b>£447.60</b>
Mesh Pallet with 1/2 Drop Side (Manufactured from rolled Steel angle with 50 x 50 x 10 gauge Steel base & mesh sides)								
36	MP62ZH	<b>£362.05</b>	46	MP63ZH	<b>£430.80</b>	53	MP64ZH	<b>£495.05</b>

## Security Cage with Solid Roof & Base

- » All welded unit constructed from steel angle & 50 x 50mm weld mesh
  - » Unit has a padlock facility (*padlock not supplied*)
  - » Ideal for the security of both hazardous & valuable materials
  - » Blue powder coat finish
- N.B. A Fork Lift will be needed to unload this unit**




GLC40Z



**FROM ONLY**  
**£638.20**

### **i** Information

**IDEAL FOR SECURE STORAGE OF BOTH HAZARDOUS & VALUABLE MATERIALS**



GLC40Z

Overall Size H x W x D mm	Internal Size H x W x D mm	No of Doors	Weight kg	Model	Price
1830 x 1180 x 1200	1710 x 1100 x 1140	2	75	GLC40Z	<b>£638.20</b>

## Security Cages



**FROM ONLY  
£497.35**



SCB01Z



SCB06Z



SCB05Z



SCB02Z

- » All welded units constructed from steel angle & 25 x 25mm weld mesh
- » Units have a padlock facility (*padlock not supplied*)
- » Ideal for the security of both hazardous & valuable materials
- » Blue powder coat finish
- » Optional hazardous chemical sign available - see page 145 for details

**N.B. A Fork Lift will be needed to unload these units**

Overall Size H x W x D mm	Internal Size H x W x D mm	No of Doors	Weight kg	Model	Price
830 x 700 x 700	790 x 690 x 690	1	37	SCB01Z	<b>£497.35</b>
830 x 1400 x 700	790 x 1380 x 690	2	52	SCB02Z	<b>£832.50</b>
1630 x 700 x 700	1585 x 690 x 690	1	55	SCB03Z	<b>£883.45</b>
1630 x 700 x 1000	1585 x 690 x 990	1	58	SCB06Z	<b>£987.65</b>
1630 x 1400 x 700	1585 x 1380 x 690	2	110	SCB04Z	<b>£1340.45</b>
1630 x 1400 x 1000	1585 x 1380 x 990	2	113	SCB07Z	<b>£1451.60</b>
1630 x 2070 x 700	1585 x 2040 x 690	2	124	SCB05Z	<b>£1689.75</b>
1630 x 2070 x 1000	1585 x 2040 x 990	2	127	SCB08Z	<b>£1779.55</b>

# Hazardous Storage & Security Cages

## Security Cage with Lift Up Lid

- » Fully welded construction
- » Hinged lift up lid is assisted by gas struts
- » When the lid is shut the front doors will not open leaving a completely secure & enclosed unit
- » Units have a hasp & staple padlock facility (padlock not included)
- » Incorporates 2 fork lift pockets
- » Optional hazardous chemical sign available - see page 145 for details



**FROM ONLY**  
**£1133.10**



GBC12Z  
N.B. A Fork Lift will be needed to unload these units

Overall Size H x W x D mm	Internal Height mm	Weight kg	Model	Price
830 x 1260 x 1260	710	150	GBC12Z	<b>£1133.10</b>
1250 x 1860 x 1260	1130	180	GBC18Z	<b>£1445.85</b>

## Knock Down Security Cages

- » This unit is supplied knock down for easy access into your premises. Manufactured from 50 x 50mm mesh panels & galvanised roof
- » Complete with a hasp & staple locking facility (padlock not supplied)
- » GLC25Z & GLC35Z supplied with a pallet base which incorporates fork lift pockets  
N.B. A Fork Lift will be needed to unload these units



**FROM ONLY**  
**£1135.70**



GLC25Z

GLC20Z



GLC20Z Folded  
(on a pallet)

Description	Overall Size H x W x D mm	Weight kg	Painted		Galvanised	
			Model	Price	Model	Price
Cage Only	1830 x 1260 x 1310	90	GLC20Z	<b>£1135.70</b>	GLC30Z	<b>£1254.10</b>
Cage with Pallet Base	2000 x 1290 x 1340	135	GLC25Z	<b>£1498.45</b>	GLC35Z	<b>£1715.60</b>

## Security Cages



- » All welded units constructed from steel angle & 25 x 25mm weld mesh
  - » Units are load tested & CE certified
  - » Units have a padlock facility (*padlock not supplied*)
  - » Cranage eyes for easy lifting (when lifting using the Cranage eyes, we recommend using a spreader)
  - » A hazardous chemical sign is available as a factory fitted optional extra
  - » Mobile units are fitted with 4 x 100mm nylon, 2 braked swivel castors (*N.B add 115mm to the height*)
  - » Two finishes available: powder coated yellow or galvanised body with powder coated yellow doors
- N.B. A Fork Lift will be needed to unload these units**



Overall Size H x W x D mm	Internal Size H x W x D mm	No of Doors	Wt kg	Powder Coated Yellow				Galvanised - Yellow Doors				Shelf to suit Factory Fitted (one per unit)	
				Static		Mobile		Static		Mobile		Model	Price
				Model	Price	Model	Price	Model	Price	Model	Price		
880 x 700 x 700	790 x 690 x 690	1	37	SCS01Z	<b>£577.00</b>	SCS01S	<b>£631.90</b>	SCG01Z	<b>£636.45</b>	SCG01S	<b>£693.05</b>	-	-
880 x 1400 x 700	790 x 1380 x 690	2	52	SCS02Z	<b>£933.25</b>	SCS02S	<b>£988.35</b>	SCG02Z	<b>£1024.75</b>	SCG02S	<b>£1081.25</b>	-	-
1680 x 700 x 700	1585 x 690 x 690	1	55	SCS03Z	<b>£981.85</b>	SCS03S	<b>£1036.90</b>	SCG03Z	<b>£1073.70</b>	SCG03S	<b>£1130.20</b>	SCS003	<b>£78.60</b>
1680 x 1400 x 700	1585 x 1380 x 690	2	110	SCS04Z	<b>£1502.55</b>	SCS04S	<b>£1556.15</b>	SCG04Z	<b>£1714.75</b>	SCG04S	<b>£1771.30</b>	SCS004	<b>£132.15</b>
1680 x 2070 x 700	1585 x 2040 x 690	2	124	SCS05Z	<b>£1813.60</b>	SCS05S	<b>£1868.45</b>	SCG05Z	<b>£2065.20</b>	SCG05S	<b>£2122.00</b>	SCS005	<b>£175.05</b>
Optional Hazardous Sign - Factory Fitted												SCS001	<b>£60.35</b>



## Mini & Maxi Boxes



**i Information**

**AVAILABLE  
EX-STOCK**

**Why not ask about  
our installation  
service?**

Boxes	Overall Size H x W x D mm	Finish	Model	Price
Mini Box No. 1	2230 x 1200 x 1200	Grey - RAL 7037	UK800298	<b>£811.82</b>
		Hot Dip Galvanised	UK800299	<b>£997.06</b>
Maxi Box No. 1	2230 x 2200 x 1200	Grey - RAL 7037	UK800295	<b>£979.49</b>
		Hot Dip Galvanised	UK800296	<b>£1213.58</b>
Maxi Box No. 2	2230 x 2200 x 2400	Grey - RAL 7037	UK800293	<b>£1311.07</b>
		Hot Dip Galvanised	UK800294	<b>£1639.82</b>
Maxi Box No. 3	2230 x 2200 x 3600	Grey - RAL 7037	UK800290	<b>£1701.35</b>
		Hot Dip Galvanised	UK800291	<b>£2132.37</b>
Maxi Box No. 4	2230 x 2200 x 4800	Grey - RAL 7037	UK800288	<b>£2025.33</b>
		Hot Dip Galvanised	UK800289	<b>£2558.61</b>
Maxi Box No. 5	2230 x 2200 x 6000	Grey - RAL 7037	UK800286	<b>£2349.31</b>
		Hot Dip Galvanised	UK800287	<b>£2984.85</b>

- » These modular mesh storage boxes come with a roof & padlockable single or double doors
- » Suitable for the safe storage of hazardous materials & ISO 9000:2015 segregation of materials
- » All boxes have a nominal height of 2230mm

**PRICES  
HELD**



**Site Survey, CAD Design & Installation Service Available**

## Gas Cylinder Cages



**FROM ONLY**  
**£1281.55**



GCC01N

Description	Finish	Overall Size H x W x D mm	Weight kg	Model	Price
Static Unit	Painted	1800 x 1610 x 890	80	GCC02Z	<b>£1281.55</b>
	Galvanised	1800 x 1610 x 890	80	GCC12G	<b>£1718.50</b>
Mobile Unit 200mm Nylon	Painted	1900 x 1610 x 890	80	GCC01N	<b>£1366.75</b>
	Galvanised	1900 x 1610 x 890	80	GCC11G	<b>£1809.65</b>



GCC12G

- >> Provision for a padlock
  - >> Complete with 'Highly Flammable' sign
  - >> Useable distance between shelves: 720mm
  - >> Manufactured in angle iron with sides, end & top infilled with metal strip. Base of inverted angle
  - >> Mobile models have a push handle at one end
  - >> Designed to carry up to 16 'calor gas' type cylinders
  - >> Hinged lockable doors
  - >> Internal size of 1560W x 840Dmm
- N.B. A forklift will be needed to unload these units

## Cylinder Storage Lock-up Cages



CS511G



CP612G

**FROM ONLY**  
**£1561.30**



CP601Z

Description	Overall Size H x W x D mm	Painted Finish		Galvanised Finish	
		Model	Price	Model	Price
Cage Only	1840 x 1360 x 1095	CS501Z	<b>£1561.30</b>	CS511G	<b>£1870.40</b>
Cage with Pallet Base	1990 x 1360 x 1095	CP601Z	<b>£1988.20</b>	CP611G	<b>£2615.15</b>
Cage Only	1840 x 1360 x 1715	CS502Z	<b>£1812.40</b>	CS512G	<b>£2139.85</b>
Cage with Pallet Base	1990 x 1360 x 1715	CP602Z	<b>£2429.35</b>	CP612G	<b>£3073.90</b>

- >> Permanently fixed or pallet base units
  - >> Complete with 'Highly Flammable' sign
  - >> Manufactured in angle iron infilled with tough iron mesh
  - >> Cylinders held by retaining chain
  - >> Base is drilled for fixing points
  - >> CS512G & CP612G are of a slightly different design as shown in the picture
- N.B. A forklift will be needed to unload these units