

Aluminium & Glass Fibre Steps/Ladders

Folding Steps with Soft Grip Handle

- >> Certified to EN 14183 standard
- >> Tubular steel construction, fitted with non-slip treads, non-slip feet & soft grip foam handle, giving a comfortable backing when used as a seat
- >> Tread size: 380W x 260Dmm



GS402Z

FROM ONLY
£44.95

Information

**SOFT GRIP
HANDLE FOR
YOUR COMFORT**



GS403Z



GS404Z

No. of Treads	Height of top tread mm	Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
2	480	820 x 450 x 520	1065 x 450 x 90	4	GS402Z	£44.95
3	725	1180 x 460 x 670	1310 x 460 x 90	6	GS403Z	£57.95
4	980	1435 x 500 x 850	1580 x 500 x 90	8	GS404Z	£75.40



FROM ONLY
£46.95



FJS63Z

FJS62Z



FJS64Z



FROM ONLY
£67.85



FCI02Z

FCI03Z

Folding Steps with High Back

- >> Certified to EN 14183
- >> High safety rail, non-slip treads & feet
- >> Tread size: 380W x 260Dmm
- >> Subject to availability



No. of Treads	Height of top tread mm	Overall Size when open H x W x D mm	Overall Size when folded H x W x D mm	Wt kg	Model	Price
2	470	1070 x 520 x 540	1080 x 520 x 220	7.2	FJS62Z	£46.95
3	705	1305 x 520 x 655	1310 x 520 x 150	10	FJS63Z	£51.25
4	960	1560 x 520 x 810	1600 x 520 x 140	12.5	FJS64Z	£64.40

Chrome Plated Folding Steps

- >> Certified to EN 14183
- >> Chrome plated tubular steel construction
- >> High safety rail, non-slip treads & plastic feet

No. of Treads	Height of top tread mm	Overall Size when open H x W x D mm	Overall Size when folded H x W x D mm	Wt kg	Model	Price
2	470	1070 x 480 x 470	960 x 480 x 100	5.5	FCI02Z	£67.85
3	700	1340 x 540 x 630	1410 x 540 x 110	8	FCI03Z	£89.00

Climb-It® Slim Folding Steps

- » Certified to EN 14183 standard
- » Compact storage, ideal for storing in small gaps
- » Aluminium construction, with non-slip feet
- » Distance between the top platform & handrail is 600mm providing safety when in use
- » Large platform size: W330 x D260mm



Information

SLIM FOLDING STEP FOR STORING IN SMALL GAPS

Information

DEEP TRENDS FOR INCREASED SAFETY & STABILITY

Only 55mm when Folded

Climb-It®



FS192Z

FS193Z



LOWER PRICES

No. of Treads	Height of top tread mm	Overall Size - Open H x W x D mm	Overall Size - Folded H x W x D mm	Weight kg	Model	Price
2 with Handrail	450	1050 x 475 x 565	1160 x 475 x 55	4	FS192Z	£66.95
3 with Handrail	680	1280 x 475 x 745	1410 x 475 x 55	5.5	FS193Z	£81.30
4 with Handrail	910	1510 x 475 x 915	1660 x 475 x 55	7	FS194Z	£94.15

Folding Aluminium Handy Steps



FS253Z

FROM ONLY £39.95



FS369Z

- » Certified to EN 14183
- » Strong & sturdy folding aluminum steps
- » Large (405W x 242D mm) durable platform for safe & comfortable standing

No. of Treads	O/A Size - In Use H x W x D mm	O/A Size - Folded H x W x D mm	Wt kg	Model	Price (each)	Price (each) Box of 3
2	450 x 450 x 530	503 x 450 x 230	3	FS253Z	£49.75	£39.95
3	667 x 480 x 690	735 x 480 x 230	4	FS369Z	£63.05	£53.10

Step-A-Trucks

- >> Certified to EN 131
- >> Versatile - neat & compact
- >> Large toe plate & wide step treads
- >> Load capacity: as sack truck - 60kg & as step unit - 150kg
- >> Multi purpose, simple & easy to convert from step to sack truck
- >> When in sack truck mode they are mobile on two 100mm wheels

SOFT GRIP
FOAM RUBBER
HANDLE

NON SLIP
PLASTIC
TREADS

FROM ONLY
£91.60

3 day
delivery

NEXT DAY
DELIVERY AVAILABLE
Call for details



FOLD AWAY
WHEELS



FMS83Y
as Sack
Truck

FMS83Y as
Step Unit

FMS82Y as
Step Unit



Easy to
move into
position

No. of Treads	Overall Size - W x D x H mm			Platform Height mm	Sack Truck Toe Plate	Step Tread Size	Weight kg	Model	Price 1 Off	Price (each) 2+
	Folded	as Sack Truck	as Step Unit							
2	460 x 70 x 990	480 x 490 x 990	470 x 530 x 920	490	390 x 280 mm	375 x 210 mm	6.5	FMS82Y	£99.95	£91.60
3	470 x 90 x 1265	490 x 450 x 1265	470 x 735 x 1190	750			9	FMS83Y	£116.80	£106.40

Folding Steps

- >> Conforms to EN 14183
- >> Tubular steel & non-slip treads
- >> Folds down flat for easy compact storage - only 70mm deep
- >> Tread size: 300W x 200Dmm
- >> Subject to availability

FROM ONLY
£56.15

3 day
delivery

LOWER
PRICES



FS204Z

FS203Z



FS202Z

No. of Treads	Height of top tread	Overall Size when open H x W x D mm	Folded Height mm	Wt kg	Model	Price
2	470	810 x 410 x 540	900	4	FS202Z	£56.15
3	710	1050 x 410 x 670	1180	6	FS203Z	£77.25
4	940	1300 x 410 x 810	1440	8	FS204Z	£85.15

Easy Slope Aluminium Folding Leader Steps

- >> **Certified to EN 14183**
- >> Aluminium folding steps are ideal for use in offices, storerooms, warehouses etc.
- >> Large aluminium serrated treads (360W x 205Dmm) & high handrail offer increased safety during use
- >> Tilt & pull wheels for easy movement without lifting
- >> Easy slope incline
- >> Folded size: only 120mm deep



AFGS4Z
£176.45

AFGS3Z
£155.90



AFGS3Z Folded

AFGS3Z

AFGS4Z

i Information

ROBUST & STURDY

AFGS2Z - Tilt & Pull



AFGS2Z
£129.95



AFGS2Z

AFGS2Z Folded



Description	Platform Height mm	Overall Size - In Use H x W x D mm	Overall Height when Folded mm	Weight kg	Model	Price
2 Tread with Aluminium Treads	440	850 x 520 x 545	790	6.5	AFGS2Z	£129.95
3 Tread with Aluminium Treads	660	1240 x 550 x 830	1060	9	AFGS3Z	£155.90
4 Tread with Aluminium Treads	880	1440 x 580 x 1110	1360	11	AFGS4Z	£176.45

Aluminium & Glass Fibre Steps/Ladders

Climb-It® Aluminium Swingback Stepladders



FROM ONLY
£77.20



CTS08Z

CTS06Z



Information
IDEAL FOR MAINTENANCE APPLICATIONS

- » **Certified to EN 131 Professional**
- » Meets all strength requirements of BS2037 Class 1
- » Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting for maximum durability & comfort
- » Large ribbed channel section stiles, box section back legs, steel hinge & reinforced horns for improved resistance to heavy usage
- » No tapes or flimsy arms to break
- » Hard wearing, non-slip feet for maximum grip on all floor surfaces
- » Integral tool tray for convenient storage



No. of Treads inc. Tray	Closed Height mm	Open Depth mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
4	1190	700	5	CTS04Z	£77.20	CTS14Z	£107.25
5	1440	1000	6	CTS05Z	£86.20	CTS15Z	£114.85
6	1680	1200	7	CTS06Z	£92.60	CTS16Z	£121.50
7	1930	1300	8	CTS07Z	£101.30	CTS17Z	£129.45

No. of Treads inc. Tray	Closed Height mm	Open Depth mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
8	2170	1500	9	CTS08Z	£110.70	CTS18Z	£148.35
10	2660	1900	11	CTS10Z	£129.30	CTS20Z	£164.70
12	3150	2200	13	CTS12Z	£148.40	CTS22Z	£183.80

Climb-It® Aluminium Stepladders

- » **Certified to EN 131 Professional**
- » Meets all strength requirements of BS2037 Class 1
- » Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting for maximum durability & comfort
- » Large ribbed channel section stiles, box section back legs, steel hinge & reinforced horns for improved resistance to heavy usage
- » No tapes or flimsy arms to break
- » Hard wearing, non-slip feet for maximum grip on all floor surfaces
- » Integral tool tray for convenient storage



Handrails Available

CPS05Z

CPS07Z

**FROM ONLY
£99.80**



Information

IDEAL FOR MANY APPLICATIONS & INDUSTRIES



Complete with Integral Tool Tray

Climb-It®

No. of Treads	Platform Height mm	Open Depth mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
3	600	740	6.5	CPS03Z	£99.80	CPS13Z	£126.65
4	900	930	7.3	CPS04Z	£108.35	CPS14Z	£135.20
5	1100	1120	8	CPS05Z	£115.15	CPS15Z	£142.05
6	1300	1310	9	CPS06Z	£122.55	CPS16Z	£149.40

No. of Treads	Platform Height mm	Open Depth mm	Wt. kg	Without Handrails		With Handrails	
				Model	Price	Model	Price
7	1600	1500	10	CPS07Z	£132.85	CPS17Z	£159.70
8	1800	1690	11	CPS08Z	£142.40	CPS18Z	£178.85
10	2200	2070	13	CPS10Z	£179.45	CPS110Z	£215.90
12	2700	2450	15	CPS12Z	£196.40	CPS112Z	£232.90

Aluminium Folding Steps




ALR06Z

- >> **Certified to EN 131 Professional**
- >> Strong, lightweight & robust aluminium platform range
- >> Distance between the platform & top handrail is 600mm providing safety at high levels
- >> Tread depth: 80mm



Rubber feet provide slip resistance & floor protection



Fitted with high tensile straps



Slim design which is ideal for storage & transport

No. of Treads	Platform Height mm	Open Size H x W x D mm	Folded Height mm	Weight kg	Model	Price
3	610	1220 x 427 x 657	1250	3.2	ALR03Z	£58.60
4	830	1440 x 452 x 811	1490	3.8	ALR04Z	£65.75
5	1050	1660 x 476 x 967	1730	4.5	ALR05Z	£70.65
6	1270	1860 x 500 x 1127	1970	5.9	ALR06Z	£81.55
8	1705	2315 x 555 x 1437	2450	8.1	ALR08Z	£103.80

Professional Aluminium Folding Steps



AFA06Z

AFA04Z

- >> **Certified to EN 131 Professional**
- >> Large working platform - 275W x 400Dmm
- >> Deep non-slip aluminium treads
- >> These units have an extra large standing platform, twin handrails, handy work tray & high support rail
- >> Distance from platform to top hand rail: 750mm



High Support Rail



Tool Tray



Large Platform

No. of Treads	Platform Height mm	Overall Size - In Use H x W x D mm	Overall Height when folded	Weight kg	Model	Price
3	580	1330 x 445 x 805	1420 mm	5	AFA03Z	£93.35
4	800	1550 x 465 x 955	1660 mm	6	AFA04Z	£113.40
5	1020	1775 x 490 x 1110	1900 mm	6.5	AFA05Z	£128.10
6	1250	2000 x 515 x 1260	2140 mm	7.5	AFA06Z	£143.50
7	1470	2225 x 535 x 1415	2380 mm	9	AFA07Z	£159.55

Double Decker

- » **Certified to EN 131 Professional**
- » Integral toolholder, bucket hook & screwtray
- » A quality professional aluminium stepladder, light enough to facilitate easy movement & transportation
- » The aluminium platform features a red safety strip - indicator for maximum recommended step height & protective edge to prevent cuts & grazes
- » Patented large double step underneath the platform for safe & comfortable standing
- » The unit comes complete with heavy-duty sturdy rubber anti-slip feet to make this a superior, professional, stepladder



TOOL TRAY & BUCKET HOOK



UNIQUE DOUBLE STEP & RUBBER PLATFORM STRIP FOR EXTRA COMFORT

BESTSELLER



No. of Treads	Platform Height	O/A Size - In Use H x W x D mm	Folded Height mm	Wt kg	Model	Price
3	616mm	1244 x 470 x 723	1426	3.8	ALT-502103	£92.80
4	828mm	1461 x 496 x 869	1656	4.4	ALT-502104	£101.40
5	1041mm	1677 x 525 x 1016	1887	5	ALT-502105	£112.95
6	1253mm	1893 x 552 x 1163	2117	6.1	ALT-502106	£124.15
7	1465mm	2110 x 580 x 1309	2348	7.2	ALT-502107	£140.00
8	1677mm	2326 x 607 x 1456	2529	8.4	ALT-502108	£153.65

**FROM ONLY
£92.80**



ALT-502105

Aluminium Wide Steps

- » 360 enclosed platform ensures safety at all times
- » Folds flat with easy storage or transport
- » Extra wide frame provides superior stability
- » Integral wheels for easy manoeuvring into position
- » Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting for maximum durability
- » Large ribbed channel section stiles, box section back legs & steel hinges provide strength & resistance to heavy wear & tear
- » Hard wearing, non-slip feet for maximum grip on all floor surfaces
- » Platform size: 380W x 630D mm



Platform Safety Chain



Large 380W x 630D platform

**FROM ONLY
£266.80**



manufactured

No. of Treads	Platform Height mm	Closed Height mm	Open Depth mm	Weight kg	Model	Price
2	500	1710	900	13	AWS02Z	£266.80
3	750	1980	1100	14	AWS03Z	£277.00
4	1000	2250	1300	15	AWS04Z	£292.30
6	1500	2790	1700	17	AWS06Z	£329.65
8	2000	3330	2100	19	AWS08Z	£373.15




AWS04Z

Aluminium & Glass Fibre Steps/Ladders

Regina Special Aluminium Folding Steps

- » **Certified to EN 131 Professional**
- » A high quality professional aluminium stepladder complete with large safe hand rails
- » Benefits from sturdy deep treads welded to ensure maximum strength & longevity of performance
- » Integral tool tray in the guardrail, which enables safe storage of tools & materials when in use
- » Heavy-duty non-slip sturdy feet
- » Platform size: 280W x 255Dmm
- » Handrails are supplied loose for easy assembly
- » Subject to availability



Tool Tray

No. of Treads	Platform Height mm	Overall Size - In Use H x W x D mm	Overall Height when folded mm	Weight kg	Model	Price
12	2770	3410 x 670 x 2250	3800	16	SV-REGSP-12	£399.25

LOWER PRICE



5 Tread Shown

SV-VERA-6

£512.35




SV-VERA-6



Vera

- » **Certified to EN 131 Professional**
- » Large platform size: 450 x 500mm
- » Integral tool tray in the guardrail
- » Welded ribbed aluminium, this quality folding warehouse stepladder is comfortable, sturdy & includes a large platform, which allows safe work at height
- » Equipped with two reinforcing arms, which prevent sudden unwanted opening or closing & are used to move the ladder via two 125mm rubber wheels
- » Subject to availability

LOWER PRICES



Tool Tray

No. of Treads	Platform Height mm	Overall Size - In Use H x W x D mm	Overall Height when folded mm	Weight kg	Model	Price
6	1400	2200 x 700 x 1640	2460	17	SV-VERA-6	£512.35
8	1900	2660 x 740 x 1970	2970	20	SV-VERA-8	£550.45
10	2300	3100 x 780 x 2340	3460	23	SV-VERA-10	£624.40
12	2800	3570 x 820 x 2700	3940	26	SV-VERA-12	£677.55

Climb-It® Aluminium Warehouse Steps

- » Strong but lightweight aluminium & steel construction
- » Permanently fixed bracing for improved strength & durability
- » Handrails on both sides for stability whilst climbing
- » Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting at each corner for maximum durability
- » Large ribbed channel section stiles, box section back legs & reinforced bottom tread for improved resistance to heavy usage
- » Hard wearing, non-slip feet for maximum grip on all floor surfaces
- » Wheels at the back of the unit make this range of steps easy to manoeuvre



Information

IDEAL FOR MANY APPLICATIONS & INDUSTRIES

No. of Treads	Platform Height mm	Size W x D mm	Weight kg	Model	Price
4	700	490 x 900	9	CWH04Z	£203.00
5	1000	510 x 1000	10	CWH05Z	£219.70
6	1200	530 x 1100	11	CWH06Z	£236.45

No. of Treads	Platform Height mm	Size W x D mm	Weight kg	Model	Price
8	2000	600 x 1400	16	CWH08Z	£271.35
10	2500	660 x 1700	20	CWH10Z	£325.45
12	3000	700 x 1900	24	CWH12Z	£369.05

Climb-It® Aluminium Library Steps

- » Robust fixed-frame designed for servicing machinery
- » Large 420 x 400mm chequer plate platform gives ample workspace & grip
- » Deep 80mm serrated non-slip treads with ridge reinforcement & double riveting at each corner for maximum durability
- » Large ribbed channel section stiles, box section back legs & reinforced bottom tread for improved resistance to heavy usage
- » Hard wearing, non-slip feet for maximum grip on all floor surfaces
- » Available as a double sided step unit - *call for details*



Information

STRAIGHT BACKED FOR CLOSER ACCESS



No. of Treads	Overall Size W x D mm	Platform Height mm	Units without Handrails			Units with Handrails		
			Weight	Model	Price	Weight	Model	Price
3	480 x 800	700	7.5 kg	CMS03Z	£141.75	10.5 kg	CMS13Z	£283.55
4	510 x 900	1000	8.5 kg	CMS04Z	£159.00	11.5 kg	CMS14Z	£300.75
5	540 x 1100	1200	9.5 kg	CMS05Z	£176.20	12.5 kg	CMS15Z	£318.00
6	570 x 1200	1500	10.5 kg	CMS06Z	£195.60	13.5 kg	CMS16Z	£350.75
7	590 x 1400	1700	11.5 kg	CMS07Z	£218.90	14.5 kg	CMS17Z	£374.00

Aluminium & Glass Fibre Steps/Ladders

Multi Purpose Ladders

PL4X3Z

£144.80



PL4X3Z

- >> Can be used as a stepladder with base stabiliser, extension ladder & as a platform ladder
- >> Complete with a removable platform
- >> Complete with stabilisers for extra stability
- >> Simple 'click lock' hinge system



PL4X3Z in Platform Position



PL4X3Z Extended



PL4X3Z Extended



PL4X3Z Folded

No. of Rungs	Platform Height mm	Stepladder Height mm	Extended Length mm	Weight kg	Model	Price
4 x 3 Steps	940	1750	3570	14	PL4X3Z	£144.80

Telescopic Ladder System

- >> Adjustable telescopic sections with simple 'click lock' hinge system
- >> Can be used as a stepladder, stairwell ladder & extension ladder
- >> Non-slip feet & splayed base give extra stability

FROM ONLY

£213.85



TL4X4Z



TL4X4Z in Stairwell Position



TL4X4Z Folded




TL4X3Z Extended

No. of Rungs	Stepladder Height mm	Extended Length mm	Weight kg	Model	Price
4 x 3 Steps	1020 to 1600	2010 to 3200	11	TL4X3Z	£213.85
4 x 4 Steps	1030 to 2170	3660 to 4430	14	TL4X4Z	£273.45

Telescopic Ladder with Stabiliser Bar

- >> **Certified to EN 131 standard**
- >> To open the unit lift from any step dependent on the height you are trying to achieve. The step can be adjusted all in one go or step by step to suit your requirements
- >> Folds quickly & easily for compact storage
- >> Controlled retraction to guard against trapped fingers
- >> One time release locking mechanism
- >> Manufactured in strong aluminium
- >> For safe use, do not stand on or above the red rung



Folds quickly & easily for compact storage. Simply push the buttons to close. The unit has a flange in the legs which restricts air flow and therefore gives controlled retraction to compact the unit smoothly from 3910mm extended height to 930mm closed height

No. of Rungs	Extended Height mm	Closed Height mm	Weight kg	Model	Price
13	3910	930	14	GXF18Z	£199.95



5 Way Combination Ladder

- » Combines a stepladder, extension ladder, stairwell ladder, work platform & stairwell platform
- » Complete with large platform for increased safety
- » Rigid construction with wide base stabilisers



CLW05Z
£179.85

CLW05Z Stepladder



CLW05Z Stairwell Ladder



CLW05Z Stairwell Platform



CLW05Z Work Platform



CLW05Z Extended Ladder

No of Rungs	Base to Platform mm	Closed Height mm	Stepladder Height mm	Extended Length mm	Weight kg	Model	Price
2 x 5	850	1550	1490	2480	17	CLW05Z	£179.85

3 Way Aluminium Steps

- » Aluminium combination ladders which can be used as a stepladder, extension ladder or freestanding extension ladder, as well as for use on stairwells
- » Euro 3 - features wall wheels & a base stabiliser
- » Luxe 3 - features wall wheels as standard & a unique patented adjustable stabiliser
- » Subject to availability



FROM ONLY
£169.30


LOWER PRICES
Euro 3
PRICES HELD



SV-EUR3-3x8



Wall Wheels



Wall Wheels



UNIQUE PATENTED STABILISER



SV-LX3-7+8+8

No. of Rungs	Closed Length mm	Extended Length mm	Overall Height in A position mm	Weight kg	Model	Price
Euro 3 - 3 Way Aluminium Ladder						
3 x 8	2400	5000	2300	15	SV-EUR3-3x8	£169.30
3 x 10	3000	6300	2900	20	SV-EUR3-3x10	£191.40
3 x 12	3500	8000	3400	26	SV-EUR3-3x12	£231.70
Luxe 3 - 3 Way Aluminium Ladder with Unique Patented Stabiliser						
7+8+8	2550	5850	2400	18.5	SV-LX3-7+8+8	£187.80
8+9+9	2850	6450	2700	20	SV-LX3-8+9+9	£211.45
9+10+10	3100	7300	3000	25	SV-LX3-9+10+10	£271.95
10+11+11	3400	8500	3300	30	SV-LX3-10+11+11	£313.60

Extension Ladders

- » Meets new improved strength & slip-tests in BS EN131-2:2010 + A2:2017
- » Stabiliser comes as standard on all ladders that extend beyond 3m
- » Large 32mm serrated Trilobular rungs with 4-way crimp & swage design for maximum durability & comfort
- » Rungs orientate flat when erected at correct climbing angle to give stable standing surface
- » Deep serrated rubber feet for maximum grip on all surfaces
- » Heavy duty galvanised steel locking catch standard on all extension ladders

No. of Rungs	Closed Height mm	Extended Height mm	Weight kg	Model	Price
Two Section Push Up Ladders					
2 x 9	2500	4000	10.5	DEL209	£139.75
2 x 11	3000	5000	12.5	DEL211	£151.55
2 x 13	3500	6000	14.5	DEL213	£183.90
2 x 15	4000	7000	19	DEL215	£212.75
2 x 17	4500	8000	22.5	DEL217	£243.45
2 x 19	5000	9000	25	DEL219	£261.95
2 x 21	5500	10,000	30	DEL221	£298.40
Three Section Push Up Ladders					
3 x 9	2600	5500	17.5	TEL309	£198.20
3 x 11	3000	7000	21	TEL311	£223.85
3 x 13	3500	8500	26.5	TEL313	£281.50
3 x 15	4000	10,000	34	TEL315	£329.75



Combination Ladder

- » Meets new improved strength & slip-tests in BS EN131-2:2010 + A2:2017
- » Super-lightweight & sturdy aluminium design ensures easy handling
- » 3 modes of operation for ultimate flexibility
- » Stabiliser as standard to ensure maximum stability
- » Deep serrated rubber feet for maximum grip on all surfaces
- » Locking catch keeps the sections secure during use & storage.



CL307

**FROM ONLY
£245.00**



CL313



No. of Rungs	Closed Length mm	Extended Length mm	Open Depth mm	Weight kg	Model	Price
3 x 7	2000	4000	500	14	CL307	£245.00
3 x 9	2500	5500	700	18.5	CL309	£287.75
3 x 11	3000	7000	1000	22	CL311	£335.40
3 x 13	3500	8500	1200	27.5	CL313	£403.10

Aluminium & Glass Fibre Steps/Ladders

Climb-It® Glass Fibre Swingback Stepladders

- >> **Certified to EN 131 Professional**
- >> Rubber feet & aluminium side arms help prevent slips & twists as there are no tapes or flimsy arms to break
- >> Lightweight & easy to carry
- >> Integral tool tray incorporates a bucket hook & 110mm & 180mm recesses for holding paint cans



i Information
INSULATED TO 30,000 VOLTS

Climb-It®



GFS35Z



GFS33Z

No. of Treads	Open Size H x W x D mm	Folded Height mm	Weight kg	Model	Price
3	950 x 460 x 780	1060	5.5	GFS33Z	£83.85
4	1190 x 490 x 890	1300	6.5	GFS34Z	£100.50
5	1390 x 530 x 990	1560	7.5	GFS35Z	£114.65

No. of Treads	Open Size H x W x D mm	Folded Height mm	Weight kg	Model	Price
6	1550 x 560 x 1230	1830	8.5	GFS36Z	£129.15
7	1890 x 590 x 1340	2080	10	GFS37Z	£143.30
8	2130 x 625 x 1500	2290	11	GFS38Z	£160.25

Climb-It® Glass Fibre Platform Stepladders

- » **Certified to EN 131 Professional**
- » Rubber feet & aluminium side arms help prevent slips & twists as there are no tapes or flimsy arms to break
- » Lightweight steps with high safety rail providing added safety when working at high levels
- » Integral tool tray incorporates a bucket hook & 110mm & 180mm recesses for holding paint cans

Climb-It®



Information

INSULATED TO 30,000 VOLTS



GFP43Z



GFP46Z

Complete with Integral Tool Tray



No. of Treads	Platform Height mm	Open Size H x W x D mm	Folded Height mm	Wt kg	Model	Price
3	725	1350 x 490 x 810	1490	8	GFP43Z	£121.95
4	950	1590 x 525 x 970	1740	9	GFP44Z	£136.40
5	1190	1930 x 555 x 1130	1980	10	GFP45Z	£151.50

No. of Treads	Platform Height mm	Open Size H x W x D mm	Folded Height mm	Wt kg	Model	Price
6	1420	2054 x 585 x 1300	2260	11	GFP46Z	£167.20
7	1650	2280 x 620 x 1460	2490	12	GFP47Z	£183.60
8	1885	2530 x 650 x 1610	2740	14	GFP48Z	£199.95

Aluminium & Glass Fibre Steps/Ladders



Glass Fibre Wide Steps

- » Certified to EN 131 Professional
- » Manufactured from a glass fibre frame with aluminium treads
- » Wheels at the back of the unit make this range of steps easy to manoeuvre
- » The unit incorporates a safety chain at the front of the platform for increased safety
- » Platform size: 400W x 600D mm

i Information

INSULATED TO 25,000 VOLTS



No. of Treads	Open Height mm	Platform Height mm	Closed Height mm	Weight kg	Model	Price
2	1410	385	1570	8	GLF22Z	£308.10
3	1625	610	1750	9	GLF23Z	£345.15
4	1855	835	2020	11	GLF24Z	£382.20
5	2050	1050	2225	14	GLF25Z	£432.70
6	2260	1260	2490	16	GLF26Z	£469.75
7	2470	1480	2730	18	GLF27Z	£506.90
8	2700	1710	2965	20	GLF28Z	£543.95

V3 - Glass Fibre Ladder

- » Certified to EN 131 Professional
- » Locking mechanism to ensure increased safety
- » Roller wheels for ease of movement on a building/against a wall
- » Available for use as a stepladder, extension ladder or freestanding extension ladder

i Information

INSULATED TO 100,000 VOLTS



Wall Wheels



Stabiliser Bar



No. of Rungs	Closed Length mm	Extended Length mm	Overall Height in Δ position mm	Weight kg	Model	Price
3 x 8	2400	5470	2300	21	SV-V3-3x8	£543.50
3 x 10	3000	7450	2900	32	SV-V3-3x10	£742.50



Climb-It® Glass Fibre Podium Steps

- » **Certified to EN 131 Professional**
- » Large platform: 406W x 475Dmm with kick boards
- » Podium steps with high safety rail, which is 950mm above the platform, provides added safety when working at high levels
- » Includes an integral tool tray
- » Wheels enable easy positioning (when folded)
- » Rubber feet & aluminium side arms help prevent slips & twists
- » Stabilisers on the GFP55Z, GFP56Z, GFP57Z & GFP58Z gives increased safety & stability when working at height



Tool Tray



Large Platform with Kick Boards

Climb-It®

No. of Treads	Platform Height mm	Open Size H x W x D mm	Weight kg	Model	Price
3	805	1755 x 644 x 935	15	GFP53Z	£236.70
4	1090	2040 x 684 x 1122	16.5	GFP54Z	£270.30
5	1375	2325 x 724 x 1308	17.5	GFP55Z	£321.30

No. of Treads	Platform Height mm	Open Size H x W x D mm	Weight kg	Model	Price
6	1660	2610 x 764 x 1495	18.5	GFP56Z	£346.10
7	1945	2895 x 804 x 1681	19.5	GFP57Z	£373.05
8	2230	3180 x 844 x 1868	20.5	GFP58Z	£412.50

Aluminium & Glass Fibre Steps/Ladders



Ladder Log Inspection Systems

The Ladder Log Inspection System is a simple & straightforward process to ensure you are complying with the work at height regulations of 2005. Carry out a full inspection of your ladder every 3 to 6 months, file the paperwork & give the user a visual sign the equipment is safe to use.

The range consists of reversible tags slotted into holders or a self-adhesive plastic sticker. Both variations of this tag enable the user to record their asset reference alongside the date & time it was last inspected, as well as the name of the competent person who inspected the ladder.



Description	Model	Price (each) 0-49 off	Price (each) 50-250 off	Price (each) 251+ off
Reversible Tag	LLRT01	£0.87	£0.58	£0.50
Tag Holder	LLTH02	£2.31	£1.88	£1.73
Green Sticker	LLGS03	£1.59	£1.37	£1.22
Red Sticker	LLRS04	£1.59	£1.37	£1.22



Ladder Log Inspection Systems

The Ladder Log Business pack is perfect for getting started with ladder inspections if you haven't already got a system in place. It comes with tags and holders, or stickers if you prefer alongside an A4 register and all the paperwork required to make recording inspections as straightforward as possible. All business packs come with an A4 Inspection Folder & indelible marker pen.




Description	Model	Price (each)
Inspection Folder, 10 Tags, 5 Holders & 1 Pen	LLBPS05	£52.37
Inspection Folder, 30 Tags, 15 Holders & 1 Pen	LLBPM06	£71.43
Inspection Folder, 50 Tags, 25 Holders & 1 Pen	LLBPL07	£84.11
Inspection Folder, 10 Green & 2 Red Stickers & 1 Pen	LLBPS08	£60.30
Inspection Folder, 30 Green & 6 Red Stickers & 1 Pen	LLBPM09	£76.17
Inspection Folder, 50 Green & 10 Red Stickers & 1 Pen	LLBPM10	£93.65

Personalised Ladder Log Tags

Why not add your company logo and brand colours to your inspection tags? Modify your tags to suit your business requirements; colour code based on department, add extra information or change the tag material, they don't even have to be used just with ladders in mind.

Description	Price
Bespoke Tag with your logo & colours	Starting at £280.00 for 100



Roof Ladders

- » Heavy duty galvanised steel hooks with aluminium cross bars give best strength whilst remaining lightweight & easy to move around
- » Large diameter wheels allow easy positioning on roof
- » PVC covered bearers for improved grip & protection of roof tiles
- » Suitable for all roof pitches between 25 & 55 degrees.
- » Large heavy duty 33mm square rungs with 4-way crimp & swage for comfort and grip whilst working from the roof



NEW

5 day delivery



i Information
LARGE WHEELS ALLOW EASY POSITIONING ON THE ROOF



No. of Rungs	Closed Length mm	Open Length mm	Weight kg	Model	Price
Single Section Push Up Roof Ladders					
11	-	3570	14	REL111	£191.85
13	-	4070	15.5	REL113	£210.35
14	-	4570	17	REL114	£217.05
16	-	5070	18	REL116	£235.55
18	-	5570	19.5	REL118	£245.25
Two Section Push Up Roof Ladders					
9 + 8	3070	4570	19.5	REL230	£243.95
11 + 10	3570	5570	22	REL235	£273.55
13 + 12	4070	6570	24.5	REL240	£300.20
14 + 13	4570	7570	27	REL245	£318.00

Trade Ladder Stay

- » Fitted easily to most extension ladders
- » Holds the ladder 300mm from the wall
- » Working at height made easier
- » Avoids damage to guttering, tiles & window frames

NEW

5 day delivery



Clearance	Weight kg	Model	Price
300mm	2	TLS30	£66.90

Ladder Guard

- » The ideal deterrent to the unauthorised use of site ladders
- » Quickly locks in position on the ladder using padlock supplied
- » Made from 2.5mm aluminium sheet

NEW

5 day delivery



Size L x W mm	Weight kg	Model	Price
1140 x 250	5	LG250	£95.40