



Climb-It® Glass Fibre Leg Platform

- >> Certified to EN 14183
- >> Ideal for compact storage as the unit is lightweight & the legs fold neatly underneath the platform
- >> The large serrated platform gives an anti-slip work surface



APJ04Z

Information
INSULATED TO 10,000 VOLTS



Platform Size L x W x H mm	Folded Size L x W x H mm	Weight kg	Model	Price
600 x 600 x 470	700 x 600 x 210	8	APJ04Z	£116.30



WP024Z

Why Choose Me?

- ✓ Equipment for low level access is important for comfort & safety
- ✓ Adjustable feet allow for ergonomic working heights

Fort® Adjustable Steel Work Platforms

- >> Certified to BS EN ISO 14122
- >> These modular units can be placed alongside each other to create a large working area
- >> Mild steel angle construction which is easily height adjustable - simply turn the flanged feet



WP022Z

Safety, Strength & Durability



WP041Z



Phenolic Non-slip Platform

Platform Size L x W mm	Galvanised Mesh Grid Platform - 50 x 38mm Mesh Grid						Phenolic Non-slip Platform - set on 18mm plywood					
	Platform Height: 140 to 210mm			Platform Height: 230 to 300mm			Platform Height: 140 to 210mm			Platform Height: 230 to 300mm		
	Weight	Model	Price	Weight	Model	Price	Weight	Model	Price	Weight	Model	Price
610 x 610	16 kg	WP011Z	£278.95	17 kg	WP021Z	£285.50	14 kg	WP031Z	£198.50	15 kg	WP041Z	£205.00
910 x 610	25 kg	WP012Z	£360.05	26 kg	WP022Z	£366.50	17 kg	WP032Z	£269.25	18 kg	WP042Z	£275.70
1210 x 610	34 kg	WP013Z	£443.35	35 kg	WP023Z	£452.50	20 kg	WP033Z	£317.15	21 kg	WP043Z	£326.25
1510 x 610	43 kg	WP014Z	£530.95	44 kg	WP024Z	£540.15	24 kg	WP034Z	£436.00	25 kg	WP044Z	£445.20

Climb-It® Folding Work Platforms

- » Aluminium folding work platform with a large, anti-slip, standing surface
- » Steel handrails either side of the platform for increased safety
- » Adjustable stabilisers allow the unit to be positioned close to a wall or working areas
- » Built-in inclined ladder
- » Easily folds for ease of movement. Will fit through doorways & narrow aisles
- » Complete with a built-in tool holder on the EP880Y
- » Mobile on 2 x 100mm nylon wheels
- » Platform suitable for 150kg



i Information
FOLDS TO A COMPACT SIZE FOR EASY STORAGE & TRANSPORTATION

i Information
ADJUSTABLE STABILISERS GET YOU CLOSER TO WALLS & WORKING AREAS




EP880Y

Integral ladder which easily folds in & out of the Work Platform



No of Treads	Platform Height mm	Platform Size W x D mm	Overall Size H x W x D mm	Overall Size Folded H x W x D mm	Weight kg	Model	Price
2	880	980 x 400	1550 x 930 x 1140	1550 x 930 x 180	14	EP880Y	£239.50
3	994	1205 x 545	1860 x 1077 x 1360	1860 x 1077 x 180	19	EP990Y	£276.15

Fort® BS EN ISO 14122 Universal Modular Platform System




2 x UMP1003A, 1 x UMPHR1200,
2 x UMPHR0600 & 1 x UMP1201A

- » **Certified to BS EN ISO 14122**
- » These modular units, constructed from steel angle, can be placed alongside each other to create a large working area
- » The Universal Modular Platform System comprises a range of basic modules that can be bolted together in various configurations to provide permanent access to machinery/equipment that cannot be reached from ground level
- » Due to the modular design they are ideal for going round corners & the bridge modules are available to avoid obstructions or areas extending over conveyors
- » Adjustable feet to accommodate uneven flooring
- » Platform modules are designed & tested to achieve a load of 500kg/m U.D.L & a concentrated load of 150kg at any point
- » Optional floor fixings are available for permanent floor fixing (recommended over conveyors & moving obstructions)



Optional Floor Fix Module:
4 off Floor fix feet/Set
UMPPF01
Price: **£88.65**
Weight: **4kg**


No of Treads	Platform Height mm	Platform Size L x W mm	Overall Size L x W x H mm	Weight kg	Model	Price
Platform Step Units						
1	240	800 x 600	800 x 600 x 240	15	UMP1001A	£350.85
2 (with Handrail)	480	800 x 600	940 x 600 x 1585	30	UMP1002A	£523.50
3 (with Handrail)	720	800 x 600	1080 x 600 x 1825	37	UMP1003A	£634.40
4 (with Handrail)	960	800 x 600	1220 x 600 x 2065	45	UMP1004A	£705.25
5 (with Handrail)	1200	800 x 600	1360 x 600 x 2305	51	UMP1005A	£876.10




Description	Platform Size L x W mm	Overall Size L x W x H mm	Weight kg	Model	Price
Platform Units					
240mm Plat. Height (equivalent to 1 Tread)	600 x 600	600 x 600 x 240	10	UMP0601A	£272.65
	1200 x 600	1200 x 600 x 240	20	UMP1201A	£479.90
480mm Plat. Height (equivalent to 2 Tread)	600 x 600	600 x 600 x 480	14	UMP0602A	£314.55
	1200 x 600	1200 x 600 x 480	22	UMP1202A	£465.35
720mm Plat. Height (equivalent to 3 Tread)	600 x 600	600 x 600 x 720	16	UMP0603A	£330.85
	1200 x 600	1200 x 600 x 720	24	UMP1203A	£518.05
960mm Plat. Height (equivalent to 4 Tread)	600 x 600	600 x 600 x 960	18	UMP0604A	£359.95
	1200 x 600	1200 x 600 x 960	31	UMP1204A	£568.95
1200mm Plat. Height (equivalent to 5 Tread)	600 x 600	600 x 600 x 1200	28	UMP0605A	£427.20
	1200 x 600	1200 x 600 x 1200	45	UMP1205A	£692.55



Description	Platform Size L x W mm	Overall Size L x W x H mm	Weight kg	Model	Price
Bridge Units (adjoining units must be same height on both ends) - Floor fixings are recommended					
600mm Bridge Unit	600 x 600	600 x 600 x 330	10	UMP0600A	£227.20
800mm Bridge Unit	800 x 600	800 x 600 x 330	13	UMP0800A	£254.50
1200mm Bridge Unit	1200 x 600	1200 x 600 x 330	22	UMP1200A	£390.80
600mm High Rise Bridge Unit	600 x 600	600 x 600 x 570	13	UMPH0600A	£231.70
800mm High Rise Bridge Unit	800 x 600	800 x 600 x 570	16	UMPH0800A	£262.70
1200mm High Rise Bridge Unit	1200 x 600	1200 x 600 x 570	23	UMPH1200A	£409.30



Description	Effective Height mm	Overall Size L x W x H mm	Weight kg	Model	Price
Handrails					
600mm - to suit Platform or Bridge	1100	585 x 35 x 1420	6	UMPHR0600	£132.80
1200mm - to suit Platform	1100	1185 x 35 x 1420	10	UMPHR1200	£227.20
800mm - to suit Bridge	1100	785 x 35 x 1420	7	UMPHR0800	£190.90
1200mm - to suit Bridge	1100	1185 x 35 x 1420	10	UMBHR1200B	£230.90





UMP1204A
2x UMPHR0600
1x UMPHR1200

UMP0603A
1x UMPHR0600

UMP0604A

UMP1203A
2x UMPHR1200

UMP1200A
2x UMPHR1200B

UMPHR1200


UMP1004A
1x UMPHR0600

UMP0602A
1x UMPHR0600

UMP1002A
1x UMPHR0600

UMP1003A
2x UMPHR0600

i Information
**MODULAR SYSTEM
CREATES AN
ADAPTABLE SOLUTION
TO FIT YOUR
UNIQUE WORKING
ENVIRONMENT**



UMP1004A
2x UMPHR0600

UMP0605A
2x UMPHR0600

UMP1200A
2x UMPHR1200B

UMP1005A
2 x UMPHR0600

Fort® BS EN 131 Professional Universal Work Platforms



- » **Certified to BS EN 131 Professional**
- » Non-slip aluminium platform & treads for increased safety
- » Constructed from fully welded tubular steel
- » 2 off 125mm castors at each end of the unit means these units can easily be wheeled into the correct position



MP301A,
2 x HR300Z &
1 x MP100Z

MP301A,
1 x HR300Z &
1 x MP100Z



MP201G



Safety, Strength & Durability

Why Choose Me?

- ✓ Large platforms allow for ease of movement for a variety of tasks
- ✓ Designed for comfort & safety over prolonged periods of use

No of Treads	Platform Size L x W mm	Platform Height mm	Overall Size L x W mm	Weight kg	Painted Version		Galvanised Version	
					Model	Price	Model	Price
2	850 x 600	500	1300 x 670	36	MP201A	£661.55	MP201G	£845.15
	1050 x 600		1450 x 670	37	MP202A	£704.25	MP202G	£893.05
	1150 x 600		1600 x 670	38	MP203A	£743.85	MP203G	£938.30
Optional Side Handrail for 2 Step Units					HR200Z	£121.60*	HR200G	£179.20*
3	850 x 600	750	1475 x 670	40	MP301A	£738.20	MP301G	£943.20
	1050 x 600		1625 x 670	41	MP302A	£780.75	MP302G	£991.30
	1150 x 600		1775 x 670	42	MP303A	£820.05	MP303G	£1036.00
Optional Side Handrail for 3 Step Units					HR300Z	£129.90*	HR300G	£190.10*
4	850 x 600	1000	1650 x 670	61	MP401A	£871.10	MP401G	£1098.10
	1050 x 600		1800 x 670	63	MP402A	£913.00	MP402G	£1150.80
	1150 x 600		1950 x 670	65	MP403A	£958.85	MP403G	£1196.50
Optional Side Handrail for 4 Step Units					HR400Z	£140.80*	HR400G	£206.50*
Optional End Rail					MP100Z	£99.55*	MP100G	£142.80*

Fort® BS EN 131 Professional Universal Work Platforms

- » **Certified to BS EN 131 Professional**
- » Units come complete with one side handrail & one end handrail as standard. The handrail can be fitted to either side of the platform & an extra side handrail is available
- » Robust, firm standing frame with aluminium 5-bar treadplate platform & step treads
- » Lift & wheel facility for convenient positioning with 125mm wheels
- » Heavy duty, anti slip, grounding feet



i Information
COMPLETE WITH ONE END & ONE SIDE HANDRAIL AS STANDARD



MP514A & HR514Z



MP502A



MP603A

Why Choose Me?
 ✓ Complete with one end & one side handrail as standard
 ✓ Designed for comfort & safety over prolonged periods of use



Safety, Strength & Durability

No of Treads	Platform Size L x W mm	Platform Height mm	Overall Size L x W x H mm	Weight kg	Painted Version		
					Model	Price	
2	800 x 500	500	1400 x 580 x 1500	42	MP502A	£884.60	
	800 x 600		1400 x 680 x 1500	46	MP602A	£919.70	
	1000 x 500		1600 x 580 x 1500	44	MP512A	£964.00	
Optional Extra Side Handrail for 2 Step Units						HR512Z	£146.45*
3	800 x 500	750	1550 x 580 x 1750	46	MP503A	£956.10	
	800 x 600		1550 x 680 x 1750	50	MP603A	£991.20	
	1000 x 500		1750 x 580 x 1750	48	MP513A	£1035.50	
Optional Extra Side Handrail for 3 Step Units						HR513Z	£146.45*
4	800 x 500	1000	1700 x 580 x 2000	50	MP504A	£1035.50	
	800 x 600		1700 x 680 x 2000	54	MP604A	£1070.60	
	1000 x 500		1900 x 580 x 2000	52	MP514A	£1114.75	
Optional Extra Side Handrail for 4 Step Units						HR514Z	£146.45*

*prices applicable when ordering with the Fort Universal Work Platforms. Order charges will apply if ordered on their own.

Aluminium Platforms



APJ69Z

- » Simple & safe to use with locking hinges for added safety
- » Ideal for compact storage & transportation as the unit is lightweight & the legs fold neatly underneath the platform
- » The serrated treads & platform help give an anti-slip work surface



Platform Size L x W x H mm	Folded Size L x W mm	Weight kg	Model	Price
690 x 300 x 500	790 x 390	4	APJ69Z	£58.95
900 x 300 x 500	1000 x 390	5	APJ90Z	£72.50



**FROM ONLY
£663.50**

Podium Steps

- » Certified to PAS 250
- » Only 2 removable parts: platform deck & access ladder
- » Saloon gates for easy access & exit from the platform
- » 1000mm all round guardrail system with non-slip platform
- » Mobile on 2 x swivel braked castors
- » Folds & unfolds in seconds
- » Fits through standard doorways
- » Platform size: 670 x 670mm



PODX1225

i Information
CERTIFIED TO PAS 250



Open Height mm	Platform Height mm	Working Height mm	Overall Width mm	Weight kg	Model	Price
2010	752 & 975	2710 to 2960	670	37	PODX0752	£663.50
2260	975 & 1225	2910 to 3160	670	40	PODX0975	£753.25
2510	1225 & 1475	3225 to 3475	670	43	PODX1225	£827.80


Alpine Tower

- » Certified to BSEN1004:2004 & 3T compatible
- » Base size: 730D x 1800W mm
- » Quick & easy to erect - saving time on each job
- » Fits easily into most small vans or estate cars
- » Narrow width - compact & easy storage
- » Quick release pull rings with stainless steel pin on bracings for easy assembly



i Information

FITS THROUGH DOORWAYS & EASILY INTO CAR BOOTS



Description	Model	Price
System to 0.6M Platform Height	AP0600Z	£624.80
System to 1.6M Platform Height	AP1600Z	£957.15
System to 2.1M Platform Height	AP2100Z	£1265.35
System to 3.1M Platform Height	AP3100Z	£1724.85
System to 3.6M Platform Height	AP3600Z	£1759.40
System to 4.6M Platform Height	AP4600Z	£2091.05
System to 5.1M Platform Height	AP5100Z	£2159.65
System to 6.1M Platform Height	AP6100Z	£2537.20

Sky-High Tower

- » Certified to BSEN1004:2004 & 3T compatible
- » Quick release pull rings with stainless steel pin on bracings for quick & easy assembly - saving time on each job



i Information

MEETS ALL REQUIREMENTS OF THE WORKING AT HEIGHT REGULATIONS



Description	Base Unit - 1800mm Wide				Base Unit - 2500mm Wide			
	850mm Deep		1450mm Deep		850mm Deep		1450mm Deep	
	Model	Price	Model	Price	Model	Price	Model	Price
System to 2.2M Platform Height	TBL180822	£1435.80	TBL181422	£1746.70	TBL250822	£1584.65	TBL251422	£1910.60
System to 3.2M Platform Height	TBL180832	£1854.40	TBL181432	£2177.40	TBL250832	£2062.05	TBL251432	£2400.15
System to 4.2M Platform Height	TBL180842	£2142.95	TBL181442	£2481.00	TBL250842	£2289.85	TBL251442	£2643.00
System to 5.2M Platform Height	TBL180852	£2647.10	TBL181452	£2911.75	TBL250852	£2852.85	TBL251452	£2997.25
System to 6.2M Platform Height	TBL180862	£2867.00	TBL181462	£3146.70	TBL250862	£3080.65	TBL251462	£3240.10
System to 7.2M Platform Height	TBL180872	£3406.55	TBL181472	£3783.95	TBL250872	£3679.00	TBL251472	£4071.50
System to 8.2M Platform Height	TBL180882	£3626.45	TBL181482	£4018.90	TBL250882	£3906.80	TBL251482	£4314.35

Order Picking Machines & Access Platforms

- » CE marked & plated
- » High quality construction
- » Self-Propelled machines that can be driven at height
- » Electrically controlled picking platform with a capacity of up to 100kg
- » 12v 105Ah batteries with 110v-220v built in charger
- » Very tight turning radius
- » Can be used as picking platforms & for maintenance work
- » Single Joystick control along with an adjustable speed control allow for easy & precise manoeuvrability in the tightest of spaces

i Information

ON SITE DEMONSTRATIONS AVAILABLE - CALL FOR DETAILS

i Information

PRICES ON APPLICATION - CALL FOR YOUR SPECIAL PRICES



Picking/Working Height mm	Picking Tray Capacity kg	Base Size L x W mm	Weight kg	Model
Access Platforms - without Picking Tray				
4000	-	995 x 740	162	Elevah 40 Move
5000	-	980 x 700	580	Elevah 5 Move
6500	-	1280 x 780	680	Elevah 65 Move
8000	-	1280 x 780	750	Elevah 80 Move
Access Platforms - with Picking Tray				
4000	40	995 x 740	190	Elevah 40 MP
5000	100	1530 x 700	640	Elevah 5 MP
6500	100	1720 x 780	760	Elevah 65 MP
8000	100	1720 x 780	790	Elevah 80 MP

Fork Lift Cages

- » Robust fully welded construction
- » Complies with Health & Safety guidance note PM28 - 4th Edition. Units are supplied with a user guide
- » Fits quickly & easily to the majority of fork lifts
- » Safety gate opens inwards, closing automatically through the use of a tension spring loaded retention latch
- » Non-slip floor plate with a high kick plate
- » Various safety features including:
 - » Internal grab rail
 - » Safety harness anchor point
 - » Drivers warning plate
 - » High visibility yellow finish



Economy Range

- » Front opening gate
- » Full height mesh rear guard

Standard Range

- » Front opening gate
- » Mesh back & half sides

Heavy Duty Range

- » Side opening gate
- » Large tool container

i Information
SAFE & STABLE ACCESS AT HIGH LEVELS



FORK POCKET FOR ECONOMY RANGE

Simply lift the bar on the side of the cage once the fork has been entered. The brace at the rear of the mechanism will then swing, fitting neatly behind the heel of the fork tines, securing the cage to the fork lift



Load Capacity	Platform Size W x D mm	Overall Height mm	Wheels	Weight kg	Model	Price	
Economy Range							
250 kg	1000 x 1000	1900	-	70	FLC08Z	£1031.00	
Standard Range							
250 kg	990 x 990	1780	-	70	FLC01Z	£1398.60	
		1830	4 Swivel 125mm Nylon	74	FLC11Y	£1444.90	
Optional Tool Box - fitted with 2 hooks to hook onto the cage					3	FLC09Z	£118.50
Heavy Duty Range							
300 kg	1260 x 800	1985	-	120	FLC02Z	£1497.75	
		2110	4 Swivel 125mm Nylon	120	FLC12Y	£1611.35	
		1985	-	125	FLC03Z	£1599.70	
		2110	4 Swivel 125mm Nylon	125	FLC13Y	£1691.35	
		2100	-	132	FLC04Z	£1659.20	
		2225	4 Swivel 125mm Nylon	132	FLC14Y	£1749.60	

FORK POCKET FOR THE STANDARD & HEAVY DUTY

184W x 83Dmm with inside clearance of 545mm & overall clearance of 921mm

NOTE:
 Fork pocket specifications can be altered to meet your requirements. Please specify when ordering